

# GROUND SUPPORT 2KIT



The GROUND SUPPORT 2KIT is a ground support/stacking system that utilizes the new dual function rig bars to provide a clean, professional setup for your clients. The GROUND SUPPORT 2KIT can support a 2.5 wide x 3m tall section of video panels.

## FEATURES

- Complete ground support solution for stacking video wall on the floor
- Works for walls as large as 8.2 ft (2.5 m) wide by 9.85 ft (3 m) tall
- Use multiple kits to stack wider video walls
- Support for flat and concave video walls, including 5° and 10° curves
- Designed to work with the F2, F3, F4IP, F5IP, and Vivid 4 video panels
- Ships in road case for easy setup and pack after the gig
- DRB-F100CM, DRB-F50CM dual function rig bars required for operation

## SPECIFICATIONS

### CONSTRUCTION/PHYSICAL

- Dimensions: 10.24 x 3.28 x 3.28 ft (3.12 x 1 x 1 m)
- Weight: 275 lb (125 kg)
- Exterior Color: Black
- Housing Material: Aluminum extrusion and Steel
- Maximum vertical stack supported: 3 m tall
- Ballast needed per 1 M height stack: 100 lb (45 kg)
- Ballast needed per 2 M height stack: 175 lb (80 kg)
- Ballast needed per 3 M height stack: 250 lb (113.4 kg)

### CERTIFICATIONS/QUALIFICATIONS

- CE
- Temperature (Ambient): -4 °F to 140 °F (-20 °C to 60 °C)

# GROUND SUPPORT 2 KIT

## WHAT'S INCLUDED

- Warranty Card
- QRG
- 2PCS FLOOR BASE
- 2PCS ANGLING HORIZONTAL BAR
- 3PCS ANGLING 1M PIPE W/2PCS CLAMPS
- 6PCS 1M LADDER TRUSS W/SPIGOTS, PINS, AND SAFETY CLIPS
- 6PCS PANEL ATTACHMENT ARM
- 10PCS TR16 SCREW JACKS
- 12PCS M12 PANEL ATTACHMENT SCREWS

## REQUIRED ACCESSORIES

- DRBF100CM
- DRBF50CM

## OPTIONAL ACCESSORIES

- DRBCURVEKITX2



# GROUND SUPPORT 2 KIT

