



Product Service

Attestation of Conformity

No. N8A 108336 0006 Rev. 00

Holder of Attestation: **Ningbo Seetronic Electronic Technology Co., Ltd.**
No. 2 Yunyao Road, Yunlong Town
Yinzhou District
315131 Ningbo City, Zhejiang Province
PEOPLE'S REPUBLIC OF CHINA

Product: **Coupler
Connector and appliance inlet**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 874102357401-00

Date, 2024-01-03

(Jie Zhu)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 108336 0006 Rev. 00

Model(s): SAC3FCA, SAC3FCA-00~99, SAC3FCA-UL, SAC3FCA-Z, SAC3FCA-M, SAC3FCA-W-M, SAC3FCA-Z-MR, SAC3FCA-NEW, SAC3FCA-XS, SAC3FCA-N-W, SAC3FCB, SAC3FCB-00~99, SAC3FCB-UL, SAC3FCB-Z, SAC3FCB-N-W, SAC3FCB-M, SAC3FCB-W-M, SAC3FCB-Z-MR, SAC3FCB-NEW, SAC3FCB-XS, SAC3FCB-BS, SAC3MPA, SAC3MPA-00~99, SAC3MPA-UL, SAC3MPA-Z, SAC3MPA-W-M, SAC3MPA-M, SAC3MPA-NEW, SAC3MPA-W, SAC3MPB-M3, SAC3MPA-X, SAC3MPA-1, SAC3MPA-1-MARK, SAC3MPA-N-W, SAC3MPB, SAC3MPB-00~99, SAC3MPB-UL, SAC3MPB-Z, SAC3MPB-W-M, SAC3MPB-M, SAC3MPB-NEW, SAC3MPB-W, SAC3MPB-M3, SAC3MPB-X, SAC3MPB-1, SAC3MPB-1-MARK, SAC3MPB-N-W

Parameters:

Rated voltage:	250V~
Rated frequency:	50/60Hz
Rated current:	16A
Number of poles:	2-pole with earthing contact
Kind of construction:	Non-standardized
Type of terminals:	Screw terminals for connector; Tab terminals for appliance inlet
Rated connection capacity:	Flexible: 1,0 to 2,5mm ²
Type of cord for plug connector:	H05VV-F 3G 1,0/1,5/2,5mm ² ; H05RR-F 3G 2,5mm ² ; H05RN-F 3G 1,0mm ² ; H07RN-F 3G 1,5/2,5mm ²
Heating conditions:	For cold conditions
Protection class:	For class I appliance
Remark:	Connector: SAC3FCA, SAC3FCA-00~99, SAC3FCA-UL, SAC3FCA-Z, SAC3FCA-M, SAC3FCA-Z-MR, SAC3FCA-NEW, SAC3FCA-XS, SAC3FCA-W-M, SAC3FCA-N-W, SAC3FCB, SAC3FCB-00~99, SAC3FCB-UL, SAC3FCB-Z, SAC3FCB-N-W, SAC3FCB-M, SAC3FCB-W-M, SAC3FCB-Z-MR, SAC3FCB-NEW, SAC3FCB-XS, SAC3FCB-BS; Appliance inlet: SAC3MPA, SAC3MPA-00~99, SAC3MPA-UL, SAC3MPA-Z, SAC3MPA-W-M, SAC3MPA-M, SAC3MPA-NEW, SAC3MPA-W, SAC3MPB-M3, SAC3MPA-X, SAC3MPA-1, SAC3MPA-1-MARK, SAC3MPA-N-W, SAC3MPB, SAC3MPB-00~99, SAC3MPB-UL, SAC3MPB-Z, SAC3MPB-W-M, SAC3MPB-M, SAC3MPB-NEW, SAC3MPB-W, SAC3MPB-M3, SAC3MPB-X, SAC3MPB-1, SAC3MPB-1-MARK, SAC3MPB-N-W.

Tested according to: EN IEC 60320-1:2021

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 108336 0006 Rev. 00

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®