#### **OVE Austrian Electrotechnical Association**

Eschenbachgasse 9 | 1010 Wien | Austria

ZVR: 327279890 | www.ove.at

#### **OVE Certification**

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 12

# **ÖVE-CERTIFICATE**

including the entitlement to use the Austrian Safety Mark



Certificate No.: 43-225-07 Valid from: 2024 06 05

until: 2026 06 05

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

PC Electric Ges.m.b.H. Certificate holder:

Diesseits 145

4973 St. Martin im Innkreis

Austria

Product: Fixed socket outlets for industrial purposes

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: TGM-VA EE 39292

Österreichischer Verband für Elektrotechnik

Head of OVE Certification

Digitally signed by T. Neumayer Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2024 05 15

**OVE Certification** 

Accredited Certification by Austrian National Accreditation Body as Body products published under https://akkreditierung-austria.gv.at. within the scope as given in the official decree and





Certificate No.: 43-225-07 Date: 2024 05 15

Page 2 of 12

#### Manufacturer:

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

#### Factory location(s):

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

#### Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01 ÖVE/ÖNORM EN 60309-2:2013-03-01 OVE EN IEC 60309-1:2023-07-01 OVE EN IEC 60309-2:2023-07-01 IEC 60309-1:2021 IEC 60309-2:2021

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the EU Low-Voltage Directive 2014/35/EU. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

### **Product: Fixed socket outlets for industrial purposes**

Type designation: Trademark: Rating: 123 PCE / ELCEE / SIROX / METECEE Rated current: 32 A 2P+E IP44 or IP44/IP54 wall mounted socket outlet screw terminals 323 PCE / ELCEE / SIROX / METECEE Rated current: 32 A 2P+E IP44 or IP44/IP54 flanged socket outlet

#### **OVE Certification**

screw terminals





Date: 2024 05 15 Page 3 of 12

423 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

flanged socket outlet, sloping

screw terminals

923 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted socket outlet, two cable inlets

screw terminals

9223 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted socket outlet with socket outlet for household

screw terminals

124 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

wall mounted socket outlet

screw terminals

324 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 flanged socket outlet screw terminals

424 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+F

IP44 or IP44/IP54

flanged socket outlet, sloping

screw terminals

924 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

wall mounted socket outlet, two cable inlets

screw terminals







Date: 2024 05 15 Page 4 of 12

125 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A 3P+N+E

IP44 or IP44/IP54

wall mounted socket outlet

screw terminals

325 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 flanged socket outlet screw terminals

425 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

flanged socket outlet, sloping

screw terminals

925 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted socket outlet, two cable inlets

screw terminals

9225 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted socket outlet with socket outlet for household

screw terminals

1232 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67

wall mounted socket outlet

screw terminals

3232 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged socket outlet screw terminals





Date: 2024 05 15 Page 5 of 12

4232 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screw terminals

1242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

wall mounted socket outlet

screw terminals

3242 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 flanged socket outlet screw terminals

**4242** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screw terminals

1252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67

wall mounted socket outlet

screw terminals

3252 PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67 flanged socket outlet screw terminals

**4252** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screw terminals







Date: 2024 05 15 Page 6 of 12

123TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted socket outlet

screwless terminals

323TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54 flanged socket outlet screwless terminals

423TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

flanged socket outlet, sloping

screwless terminals

923TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted socket outlet, two cable inlets

screwless terminals

9223TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP44 or IP44/IP54

wall mounted socket outlet with socket outlet for household

screw and screwless terminals

124TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

wall mounted sockte outlet

screwless terminals

**324TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54 flanged socket outlet screwless terminals





Date: 2024 05 15 Page 7 of 12

424TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

flanged socket outlet, sloping

screwless terminals

924TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP44 or IP44/IP54

wall mounted socket outlet, two cable inlets

screwless terminals

125TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted socket outlet

screwless terminals

**325TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54 flanged socket outlet screwless terminals

425TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

flanged socket outlet, sloping

screwless terminals

925TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted socket outlet, two cable inlets

screwless terminals

9225TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP44 or IP44/IP54

wall mounted socket outlet with socket outlet for household

screw and screwless terminals







Date: 2024 05 15 Page 8 of 12

1232TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67

wall mounted socket outlet

screwless terminals

3232TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged socket outlet screwless terminals

4232TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

2P+E

IP67 or IP66/IP67 flanged socket outlet screwless terminals

1242TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

wall mounted socket outlet

screwless terminals

**3242TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67 flanged socket outlet screwless terminals

**4242TT** PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screwless terminals

1252TT PCE / ELCEE / SIROX / METECEE

Rated current: 32 A

3P+N+E

IP67 or IP66/IP67

wall mounted socket outlet

screwless terminals







Date: 2024 05 15 Page 9 of 12

3252TT

Rated current: 32 A 3P+N+E IP67 or IP66/IP67 flanged socket outlet screwless terminals PCE / ELCEE / SIROX / METECEE

4252TT

Rated current: 32 A 3P+N+E IP67 or IP66/IP67 flanged socket outlet, sloping screwless terminals PCE / ELCEE / SIROX / METECEE







Certificate No.: 43-225-07 Date: 2024 05 15

Page 10 of 12

1 2 5 2 - 6 TT k * v	_ 			
	Contacts			
	blank uncoated contacts			
	v nickel plated contacts			
	Auxiliary switch			
	blank without auxiliary switch			
	h with auxiliary switch (only for types 423, 4232)			
	Colour			
	blank indicating colour			
	x Midnight Series			
	* reserved for additional colours			
	Wall housing			
	blank standard housing			
	k compact housing (only Series 12.)			
	Terminals			
	blank screw terminals			
	TT screwless terminals			
	Clock position earthing contact			
	1 1h			
	2 2h			
	3 3h			
	4 4h 5 5h			
	6 6h			
	7 7h			
	9 9h			
	10 10h			
	11 11h			
	12   12h			
	Customer type			
	- Trademark PCE			
	Degree of protection			
	blank IP44 oder IP44/IP54			
	1 IP44 oder IP44/IP54 (only series 12.)			
	2 IP67 oder IP66/IP67			
	Poles			
	3 3-poles			
	4 4-poles			
	5 5-poles			
	Rated current			
	2 32A			
	Basic type			
	1 Wall mounted socket outlet			
	3 Flanged socket outlet straight			
	4 Flanged socket outlet sloping			
	9 Wall mounted socket outlet (two cable inlets) Wall mounted socket outlet with socket outlet			
	92   waii mounted socket outlet with socket outlet   for household			
	ureditierung Aug.			

## **OVE Certification**





Certificate No.: 43-225-07 Date: 2024 05 15

Page 11 of 12

## **Typelist**

Туре	Rated current [A]	Earthing contact pos. [h]	Rated operating voltage [V]	Frequency [Hz]	Insulation voltage [V]
123 323		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
	32	3	>50 – 250	DC	690
423		4	100 – 130	50 and 60	690
923		6	200 – 250	50 and 60	690
9223*)		7	480 – 500	50 and 60	690
1232		9	380 – 415	50 and 60	690
3232		10	>50	>100 - 300	690
4232		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	380	50	690
124			440	60	
324		4	100 – 130	50 and 60	690
424		5	600 – 690	50 and 60	690
924	32	6	380 – 415	50 and 60	690
1242		7	480 - 500	50 and 60	690
3242		9	200 – 250	50 and 60	690
4242		10	>50	>100 - 300	690
		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
125		3	220/380 250/440	50 60	690
325		4	57/100 – 75/130	50 and 60	690
425 925		5	347/600 – 400/690	50 and 60	690
925*)		6	200/346 – 240/415	50 and 60	690
1252		7	277/480 – 288/500	50 and 60	690
3252		9	120/208 – 144/250	50 and 60	690
4252		10	>50	>100 - 300	690
		11	250/440 – 265/460	60	690
		12	Supply from an isolating transformer	50 and 60	690

<sup>\*)</sup> only available in clock position 6h.

#### Accessories:

colour

s - black
\* - reserved for additional colours

Finger protection

## **OVE Certification**





Date: 2024 05 15 Page 12 of 12

Туре	Rated current [A]	Earthing contact pos. [h]	Rated operating voltage [V]	Frequency [Hz]	Insulation voltage [V]
123TT 323TT		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
	32	3	>50 – 250	DC	690
423TT		4	100 – 130	50 and 60	690
923TT		6	200 – 250	50 and 60	690
9223TT*)		7	480 – 500	50 and 60	690
1232TT		9	380 – 415	50 and 60	690
3232TT		10	>50	>100 - 300	690
4232TT		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
124TT		3	380 440	50 60	690
324TT		4	100 – 130	50 and 60	690
424TT	32	5	600 – 690	50 and 60	690
924TT		6	380 – 415	50 and 60	690
1242TT		7	480 - 500	50 and 60	690
3242TT		9	200 – 250	50 and 60	690
4242TT		10	>50	>100 - 300	690
		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
125TT	32	1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
		3	220/380 250/440	50 60	690
325TT		4	57/100 – 75/130	50 and 60	690
425TT		5	347/600 - 400/690	50 and 60	690
925TT 9225TT*)		6	200/346 – 240/415	50 and 60	690
1252TT		7	277/480 – 288/500	50 and 60	690
3252TT 4252TT		9	120/208 – 144/250	50 and 60	690
		10	>50	>100 - 300	690
		11	250/440 – 265/460	60	690
		12	Supply from an isolating transformer	50 and 60	690

<sup>\*)</sup> only available in clock position 6h.

